

Line Plan

CYCLUS^{ONE}

LTF / EN B



SOL[®]
PARAGLIDERS


Version 1 5/2019

Summary

Line Plan	4
Risers lengths.....	6
Line lengths.....	8
Line lengths individually	12



Line Plan



Risers lengths

Risers not accelerated

A = 52 cm
A' = 52 cm
B = 52 cm
C = 52 cm



Measure without
quick links

Risers accelerated

A = 42,5 cm
A' = 45 cm
B = 46 cm
C = 52 cm



Measure without
quick links



Line lengths

Cyclus one XS

	A	B	C	D	F
1	6402	6387	6398	6458	6621
2	6455	6438	6458		6630
3	6634	6620	6641		6628
4	6679	6665	6694		6636
5	6790	6768	6805		6673
6	6852	6825	6868		6761
7	6939	6899	6951	7023	6825
8	6914	6868	6929	7012	6879
9	6934	6883	6950	7043	7086
10	7001	6948	7018	7115	7301
11	7028	6973	7047	7150	
12	6993	6936	7014	7122	
13	7015	6958	7037	7147	
14	7093	7039	7116	7222	



Measuring incl. risers and carabiners with 5 daN load
Brake line measuring without riser

Cyclus one S

	A	B	C	D	F
1	6628	6616	6627	6689	6876
2	6678	6666	6685		6890
3	6870	6873	6894		6889
4	6918	6920	6949		6901
5	7032	7021	7059		6938
6	7096	7076	7122		7030
7	7189	7147	7197	7270	7093
8	7163	7116	7172	7261	7151
9	7184	7131	7194	7290	7361
10	7254	7196	7266	7366	7579
11	7281	7224	7296	7403	
12	7245	7187	7260	7373	
13	7268	7210	7285	7399	
14	7349	7292	7365	7474	



Measuring incl. risers and carabiners with 5 daN load
Brake line measuring without riser

Cyclus one M

	A	B	C	D	F
1	6857	6833	6845	6910	7120
2	6901	6885	6911		7135
3	7097	7100	7121		7137
4	7147	7147	7177		7147
5	7268	7253	7293		7189
6	7332	7312	7358		7284
7	7431	7383	7437	7516	7349
8	7405	7352	7412	7502	7404
9	7426	7368	7433	7534	7622
10	7498	7437	7507	7610	7846
11	7526	7463	7539	7650	
12	7488	7424	7504	7620	
13	7511	7445	7527	7642	
14	7596	7531	7611	7720	



Measuring incl. risers and carabiners with 5 daN load
Brake line measuring without riser

Cyclus one L

	A	B	C	D	F
1	7071	7056	7068	7141	7352
2	7124	7108	7135		7364
3	7323	7326	7355		7372
4	7373	7375	7412		7384
5	7495	7484	7527		7425
6	7563	7545	7595		7525
7	7664	7616	7676	7753	7590
8	7634	7583	7650	7742	7648
9	7657	7602	7672	7774	7866
10	7734	7670	7746	7852	8096
11	7761	7699	7778	7889	
12	7722	7659	7742	7858	
13	7748	7685	7766	7888	
14	7833	7771	7851	7967	



Measuring incl. risers and carabiners with 5 daN load
Brake line measuring without riser



Cyclus one XL

	A	B	C	D	F
1	7336	7325	7340	7413	7635
2	7394	7378	7405		7655
3	7606	7607	7636		7661
4	7658	7659	7695		7674
5	7783	7774	7814		7719
6	7856	7835	7884		7819
7	7955	7911	7966	8051	7889
8	7928	7875	7941	8040	7945
9	7953	7895	7964	8069	8173
10	8029	7966	8040	8150	8408
11	8057	7994	8073	8190	
12	8019	7951	8034	8157	
13	8043	7975	8058	8182	
14	8130	8064	8145	8260	



Measuring incl. risers and carabiners with 5 daN load
Brake line measuring without riser



Line lengths individually

Cyclus one XS

Name	Line reference		Diameter / mm	Number of lines	Length / mm
A1	Liros PPSLS	60	0,76	2	526
A2	Liros PPSLS	60	0,76	2	577
A3	Liros PPSLS	125	1,05	2	548
A4	Liros PPSLS	125	1,05	2	593
A5	Liros PPSLS	125	1,05	2	544
A6	Liros PPSLS	125	1,05	2	606
A7	Liros PPSLS	125	1,05	2	1372
A8	Liros PPSLS	125	1,05	2	1347
A9	Liros PPSLS	125	1,05	2	1367
A10	Liros PPSLS	125	1,05	2	1434
A11	Liros PPSLS	125	1,05	2	1461
A12	Liros PPSLS	125	1,05	2	1426
A13	Liros PPSLS	125	1,05	2	1448
A14	Liros PPSLS	125	1,05	2	1526
AM 1	Liros PPSLS	125	1,05	2	1160
AM 2	Liros PPSLS	125	1,05	2	1320
AM 3	Liros PPSLS	125	1,05	2	1320
AM 4	Liros PPSLS	125	1,05	2	1320
AM 5	Liros PPSLS	125	1,05	2	1320
AM 6	Liros PPSLS	125	1,05	2	1320
AR 1	Liros PPSLS	180	1,2	2	4390
AR 2	Liros PPSLS	180	1,2	2	3720
AR 3	Liros PPSLS	260	1,58	2	3720
B1	Liros PPSLS	60	0,76	2	511
B2	Liros PPSLS	60	0,76	2	560
B3	Liros PPSLS	125	1,05	2	534
B4	Liros PPSLS	125	1,05	2	579
B5	Liros PPSLS	125	1,05	2	522
B6	Liros PPSLS	125	1,05	2	579
B7	Liros PPSLS	125	1,05	2	1332
B8	Liros PPSLS	125	1,05	2	1301
B9	Liros PPSLS	125	1,05	2	1316
B10	Liros PPSLS	125	1,05	2	1381
B11	Liros PPSLS	125	1,05	2	1406
B12	Liros PPSLS	125	1,05	2	1369
B13	Liros PPSLS	125	1,05	2	1391
B14	Liros PPSLS	125	1,05	2	1472
SM	Liros PPSLS	60	0,76	6	1070
BM 1	Liros PPSLS	125	1,05	2	1160
BM 2	Liros PPSLS	125	1,05	2	1320
BM 3	Liros PPSLS	125	1,05	2	1320
BM 4	Liros PPSLS	125	1,05	2	1320
BM 5	Liros PPSLS	125	1,05	2	1320
BM 6	Liros PPSLS	125	1,05	2	1320
SR	Liros PPSLS	125	1,05	2	4270
BR 1	Liros PPSLS	180	1,2	2	4390
BR 2	Liros PPSLS	180	1,2	2	3720

Cyclus one XS

Name	Line reference		Diameter / mm	Number of lines	Length / mm
BR 3	Liros PPSLS	260	1,58	2	3720
C1	Liros PPSLS	60	0,76	2	522
C2	Liros PPSLS	60	0,76	2	580
C3	Liros PPSLS	125	1,05	2	555
C4	Liros PPSLS	125	1,05	2	608
C5	Liros PPSLS	125	1,05	2	559
C6	Liros PPSLS	125	1,05	2	622
C7	Liros PPSLS	125	1,05	2	1383
C8	Liros PPSLS	125	1,05	2	1361
C9	Liros PPSLS	125	1,05	2	1382
C10	Liros PPSLS	125	1,05	2	1450
C11	Liros PPSLS	125	1,05	2	1479
C12	Liros PPSLS	125	1,05	2	1446
C13	Liros PPSLS	125	1,05	2	1469
C14	Liros PPSLS	125	1,05	2	1548
CM 1	Liros PPSLS	125	1,05	2	1160
CM 2	Liros PPSLS	125	1,05	2	1320
CM 3	Liros PPSLS	125	1,05	2	1320
CM 4	Liros PPSLS	125	1,05	2	1320
CM 5	Liros PPSLS	125	1,05	2	1320
CM 6	Liros PPSLS	125	1,05	2	1320
CR 1	Liros PPSLS	180	1,2	2	4390
CR 2	Liros PPSLS	180	1,2	2	3720
CR 3	Liros PPSLS	180	1,2	2	3720
D1	Liros PPSLS	60	0,76	2	582
D7	Liros PPSLS	60	0,76	2	1455
D8	Liros PPSLS	60	0,76	2	1444
D9	Liros PPSLS	60	0,76	2	1475
D10	Liros PPSLS	60	0,76	2	1547
D11	Liros PPSLS	60	0,76	2	1582
D12	Liros PPSLS	60	0,76	2	1554
D13	Liros PPSLS	60	0,76	2	1579
D14	Liros PPSLS	60	0,76	2	1654
F1	Liros PPSLS	60	0,76	2	733
F2	Liros PPSLS	60	0,76	2	742
F3	Liros PPSLS	60	0,76	2	740
F4	Liros PPSLS	60	0,76	2	748
F5	Liros PPSLS	60	0,76	2	785
F6	Liros PPSLS	60	0,76	2	873
F7	Liros PPSLS	60	0,76	2	935
F8	Liros PPSLS	60	0,76	2	989
F9	Liros PPSLS	60	0,76	2	1196
F10	Liros PPSLS	60	0,76	2	1411
FM	Liros PPSLS	60	0,76	10	1675
FM1	Liros PPSLS	125	1,05	4	1675
FR	Liros PPSLS	260	1,58	2	2570



Cyclus one S

Name	Line reference		Diameter / mm	Number of lines	Length / mm
A1	Liros PPSLS	60	0,76	2	558
A2	Liros PPSLS	60	0,76	2	612
A3	Liros PPSLS	125	1,05	2	570
A4	Liros PPSLS	125	1,05	2	617
A5	Liros PPSLS	125	1,05	2	567
A6	Liros PPSLS	125	1,05	2	631
A7	Liros PPSLS	125	1,05	2	1425
A8	Liros PPSLS	125	1,05	2	1399
A9	Liros PPSLS	125	1,05	2	1419
A10	Liros PPSLS	125	1,05	2	1489
A11	Liros PPSLS	125	1,05	2	1516
A12	Liros PPSLS	125	1,05	2	1480
A13	Liros PPSLS	125	1,05	2	1503
A14	Liros PPSLS	125	1,05	2	1583
AM 1	Liros PPSLS	125	1,05	2	1205
AM 2	Liros PPSLS	125	1,05	2	1370
AM 3	Liros PPSLS	125	1,05	2	1370
AM 4	Liros PPSLS	125	1,05	2	1370
AM 5	Liros PPSLS	125	1,05	2	1370
AM 6	Liros PPSLS	125	1,05	2	1370
AR 1	Liros PPSLS	180	1,2	2	4555
AR 2	Liros PPSLS	180	1,2	2	3860
AR 3	Liros PPSLS	260	1,58	2	3860
B1	Liros PPSLS	60	0,76	2	544
B2	Liros PPSLS	60	0,76	2	595
B3	Liros PPSLS	125	1,05	2	572
B4	Liros PPSLS	125	1,05	2	618
B5	Liros PPSLS	125	1,05	2	556
B6	Liros PPSLS	125	1,05	2	613
B7	Liros PPSLS	125	1,05	2	1383
B8	Liros PPSLS	125	1,05	2	1351
B9	Liros PPSLS	125	1,05	2	1367
B10	Liros PPSLS	125	1,05	2	1433
B11	Liros PPSLS	125	1,05	2	1459
B12	Liros PPSLS	125	1,05	2	1420
B13	Liros PPSLS	125	1,05	2	1443
B14	Liros PPSLS	125	1,05	2	1527
SM	Liros PPSLS	60	0,76	6	1100
BM 1	Liros PPSLS	125	1,05	2	1205
BM 2	Liros PPSLS	125	1,05	2	1370
BM 3	Liros PPSLS	125	1,05	2	1370
BM 4	Liros PPSLS	125	1,05	2	1370
BM 5	Liros PPSLS	125	1,05	2	1370
BM 6	Liros PPSLS	125	1,05	2	1370
SR	Liros PPSLS	125	1,05	2	4430
BR 1	Liros PPSLS	180	1,2	2	4555
BR 2	Liros PPSLS	180	1,2	2	3860

Cyclus one S

Name	Line reference		Diameter / mm	Number of lines	Length / mm
BR 3	Liros PPSLS	260	1,58	2	3860
C1	Liros PPSLS	60	0,76	2	556
C2	Liros PPSLS	60	0,76	2	617
C3	Liros PPSLS	125	1,05	2	596
C4	Liros PPSLS	125	1,05	2	649
C5	Liros PPSLS	125	1,05	2	595
C6	Liros PPSLS	125	1,05	2	658
C7	Liros PPSLS	125	1,05	2	1438
C8	Liros PPSLS	125	1,05	2	1414
C9	Liros PPSLS	125	1,05	2	1436
C10	Liros PPSLS	125	1,05	2	1506
C11	Liros PPSLS	125	1,05	2	1536
C12	Liros PPSLS	125	1,05	2	1501
C13	Liros PPSLS	125	1,05	2	1524
C14	Liros PPSLS	125	1,05	2	1606
CM 1	Liros PPSLS	125	1,05	2	1205
CM 2	Liros PPSLS	125	1,05	2	1370
CM 3	Liros PPSLS	125	1,05	2	1370
CM 4	Liros PPSLS	125	1,05	2	1370
CM 5	Liros PPSLS	125	1,05	2	1370
CM 6	Liros PPSLS	125	1,05	2	1370
CR 1	Liros PPSLS	180	1,2	2	4555
CR 2	Liros PPSLS	180	1,2	2	3860
CR 3	Liros PPSLS	180	1,2	2	3860
D1	Liros PPSLS	60	0,76	2	618
D7	Liros PPSLS	60	0,76	2	1512
D8	Liros PPSLS	60	0,76	2	1501
D9	Liros PPSLS	60	0,76	2	1532
D10	Liros PPSLS	60	0,76	2	1606
D11	Liros PPSLS	60	0,76	2	1642
D12	Liros PPSLS	60	0,76	2	1613
D13	Liros PPSLS	60	0,76	2	1638
D14	Liros PPSLS	60	0,76	2	1716
F1	Liros PPSLS	60	0,76	2	766
F2	Liros PPSLS	60	0,76	2	778
F3	Liros PPSLS	60	0,76	2	778
F4	Liros PPSLS	60	0,76	2	788
F5	Liros PPSLS	60	0,76	2	826
F6	Liros PPSLS	60	0,76	2	917
F7	Liros PPSLS	60	0,76	2	981
F8	Liros PPSLS	60	0,76	2	1035
F9	Liros PPSLS	60	0,76	2	1247
F10	Liros PPSLS	60	0,76	2	1467
FM	Liros PPSLS	60	0,76	10	1735
FM1	Liros PPSLS	125	1,05	4	1735
FR	Liros PPSLS	260	1,58	2	2660



Cyclus one M

Name	Line reference		Diameter / mm	Number of lines	Length / mm
A1	Liros PPSLS	60	0,76	2	571
A2	Liros PPSLS	60	0,76	2	627
A3	Liros PPSLS	125	1,05	2	592
A4	Liros PPSLS	125	1,05	2	641
A5	Liros PPSLS	125	1,05	2	590
A6	Liros PPSLS	125	1,05	2	656
A7	Liros PPSLS	125	1,05	2	1477
A8	Liros PPSLS	125	1,05	2	1450
A9	Liros PPSLS	125	1,05	2	1471
A10	Liros PPSLS	125	1,05	2	1543
A11	Liros PPSLS	125	1,05	2	1572
A12	Liros PPSLS	125	1,05	2	1534
A13	Liros PPSLS	125	1,05	2	1557
A14	Liros PPSLS	125	1,05	2	1640
AM 1	Liros PPSLS	125	1,05	2	1250
AM 2	Liros PPSLS	125	1,05	2	1420
AM 3	Liros PPSLS	125	1,05	2	1420
AM 4	Liros PPSLS	125	1,05	2	1420
AM 5	Liros PPSLS	125	1,05	2	1420
AM 6	Liros PPSLS	125	1,05	2	1420
AR 1	Liros PPSLS	180	1,2	2	4720
AR 2	Liros PPSLS	180	1,2	2	4000
AR 3	Liros PPSLS	260	1,58	2	4000
B1	Liros PPSLS	60	0,76	2	557
B2	Liros PPSLS	60	0,76	2	610
B3	Liros PPSLS	125	1,05	2	594
B4	Liros PPSLS	125	1,05	2	642
B5	Liros PPSLS	125	1,05	2	578
B6	Liros PPSLS	125	1,05	2	637
B7	Liros PPSLS	125	1,05	2	1435
B8	Liros PPSLS	125	1,05	2	1402
B9	Liros PPSLS	125	1,05	2	1417
B10	Liros PPSLS	125	1,05	2	1486
B11	Liros PPSLS	125	1,05	2	1512
B12	Liros PPSLS	125	1,05	2	1472
B13	Liros PPSLS	125	1,05	2	1496
B14	Liros PPSLS	125	1,05	2	1582
SM	Liros PPSLS	60	0,76	6	1150
BM 1	Liros PPSLS	125	1,05	2	1250
BM 2	Liros PPSLS	125	1,05	2	1420
BM 3	Liros PPSLS	125	1,05	2	1420
BM 4	Liros PPSLS	125	1,05	2	1420
BM 5	Liros PPSLS	125	1,05	2	1420
BM 6	Liros PPSLS	125	1,05	2	1420
SR	Liros PPSLS	125	1,05	2	4590
BR 1	Liros PPSLS	180	1,2	2	4720
BR 2	Liros PPSLS	180	1,2	2	4000

Cyclus one M

Name	Line reference		Diameter / mm	Number of lines	Length / mm
BR 3	Liros PPSLS	260	1,58	2	4000
C1	Liros PPSLS	60	0,76	2	570
C2	Liros PPSLS	60	0,76	2	633
C3	Liros PPSLS	125	1,05	2	620
C4	Liros PPSLS	125	1,05	2	675
C5	Liros PPSLS	125	1,05	2	620
C6	Liros PPSLS	125	1,05	2	685
C7	Liros PPSLS	125	1,05	2	1492
C8	Liros PPSLS	125	1,05	2	1467
C9	Liros PPSLS	125	1,05	2	1490
C10	Liros PPSLS	125	1,05	2	1562
C11	Liros PPSLS	125	1,05	2	1593
C12	Liros PPSLS	125	1,05	2	1556
C13	Liros PPSLS	125	1,05	2	1580
C14	Liros PPSLS	125	1,05	2	1665
CM 1	Liros PPSLS	125	1,05	2	1250
CM 2	Liros PPSLS	125	1,05	2	1420
CM 3	Liros PPSLS	125	1,05	2	1420
CM 4	Liros PPSLS	125	1,05	2	1420
CM 5	Liros PPSLS	125	1,05	2	1420
CM 6	Liros PPSLS	125	1,05	2	1420
CR 1	Liros PPSLS	180	1,2	2	4720
CR 2	Liros PPSLS	180	1,2	2	4000
CR 3	Liros PPSLS	180	1,2	2	4000
D1	Liros PPSLS	60	0,76	2	636
D7	Liros PPSLS	60	0,76	2	1570
D8	Liros PPSLS	60	0,76	2	1557
D9	Liros PPSLS	60	0,76	2	1590
D10	Liros PPSLS	60	0,76	2	1666
D11	Liros PPSLS	60	0,76	2	1703
D12	Liros PPSLS	60	0,76	2	1673
D13	Liros PPSLS	60	0,76	2	1698
D14	Liros PPSLS	60	0,76	2	1778
F1	Liros PPSLS	60	0,76	2	790
F2	Liros PPSLS	60	0,76	2	804
F3	Liros PPSLS	60	0,76	2	806
F4	Liros PPSLS	60	0,76	2	817
F5	Liros PPSLS	60	0,76	2	857
F6	Liros PPSLS	60	0,76	2	952
F7	Liros PPSLS	60	0,76	2	1016
F8	Liros PPSLS	60	0,76	2	1071
F9	Liros PPSLS	60	0,76	2	1289
F10	Liros PPSLS	60	0,76	2	1514
FM	Liros PPSLS	60	0,76	10	1800
FM1	Liros PPSLS	125	1,05	4	1800
FR	Liros PPSLS	260	1,58	2	2750



Cyclus one L

Name	Line reference		Diameter / mm	Number of lines	Length / mm
A1	Liros PPSLS	60	0,76	2	591
A2	Liros PPSLS	60	0,76	2	649
A3	Liros PPSLS	125	1,05	2	616
A4	Liros PPSLS	125	1,05	2	666
A5	Liros PPSLS	125	1,05	2	614
A6	Liros PPSLS	125	1,05	2	682
A7	Liros PPSLS	125	1,05	2	1531
A8	Liros PPSLS	125	1,05	2	1503
A9	Liros PPSLS	125	1,05	2	1525
A10	Liros PPSLS	125	1,05	2	1599
A11	Liros PPSLS	125	1,05	2	1628
A12	Liros PPSLS	125	1,05	2	1589
A13	Liros PPSLS	125	1,05	2	1613
A14	Liros PPSLS	125	1,05	2	1698
AM 1	Liros PPSLS	125	1,05	2	1290
AM 2	Liros PPSLS	125	1,05	2	1465
AM 3	Liros PPSLS	125	1,05	2	1465
AM 4	Liros PPSLS	125	1,05	2	1465
AM 5	Liros PPSLS	125	1,05	2	1465
AM 6	Liros PPSLS	125	1,05	2	1465
AR 1	Liros PPSLS	180	1,2	2	4875
AR 2	Liros PPSLS	180	1,2	2	4130
AR 3	Liros PPSLS	260	1,58	2	4130
B1	Liros PPSLS	60	0,76	2	577
B2	Liros PPSLS	60	0,76	2	631
B3	Liros PPSLS	125	1,05	2	617
B4	Liros PPSLS	125	1,05	2	666
B5	Liros PPSLS	125	1,05	2	601
B6	Liros PPSLS	125	1,05	2	662
B7	Liros PPSLS	125	1,05	2	1487
B8	Liros PPSLS	125	1,05	2	1453
B9	Liros PPSLS	125	1,05	2	1469
B10	Liros PPSLS	125	1,05	2	1539
B11	Liros PPSLS	125	1,05	2	1567
B12	Liros PPSLS	125	1,05	2	1525
B13	Liros PPSLS	125	1,05	2	1549
B14	Liros PPSLS	125	1,05	2	1637
SM	Liros PPSLS	60	0,76	6	1190
BM 1	Liros PPSLS	125	1,05	2	1290
BM 2	Liros PPSLS	125	1,05	2	1465
BM 3	Liros PPSLS	125	1,05	2	1465
BM 4	Liros PPSLS	125	1,05	2	1465
BM 5	Liros PPSLS	125	1,05	2	1465
BM 6	Liros PPSLS	125	1,05	2	1465
SR	Liros PPSLS	125	1,05	2	4740
BR 1	Liros PPSLS	180	1,2	2	4875
BR 2	Liros PPSLS	180	1,2	2	4130

Cyclus one L

Name	Line reference		Diameter / mm	Number of lines	Length / mm
BR 3	Liros PPSLS	260	1,58	2	4130
C1	Liros PPSLS	60	0,76	2	590
C2	Liros PPSLS	60	0,76	2	656
C3	Liros PPSLS	125	1,05	2	645
C4	Liros PPSLS	125	1,05	2	702
C5	Liros PPSLS	125	1,05	2	645
C6	Liros PPSLS	125	1,05	2	713
C7	Liros PPSLS	125	1,05	2	1547
C8	Liros PPSLS	125	1,05	2	1521
C9	Liros PPSLS	125	1,05	2	1544
C10	Liros PPSLS	125	1,05	2	1618
C11	Liros PPSLS	125	1,05	2	1650
C12	Liros PPSLS	125	1,05	2	1612
C13	Liros PPSLS	125	1,05	2	1636
C14	Liros PPSLS	125	1,05	2	1723
CM 1	Liros PPSLS	125	1,05	2	1290
CM 2	Liros PPSLS	125	1,05	2	1465
CM 3	Liros PPSLS	125	1,05	2	1465
CM 4	Liros PPSLS	125	1,05	2	1465
CM 5	Liros PPSLS	125	1,05	2	1465
CM 6	Liros PPSLS	125	1,05	2	1465
CR 1	Liros PPSLS	180	1,2	2	4875
CR 2	Liros PPSLS	180	1,2	2	4130
CR 3	Liros PPSLS	180	1,2	2	4130
D1	Liros PPSLS	60	0,76	2	659
D7	Liros PPSLS	60	0,76	2	1628
D8	Liros PPSLS	60	0,76	2	1615
D9	Liros PPSLS	60	0,76	2	1648
D10	Liros PPSLS	60	0,76	2	1726
D11	Liros PPSLS	60	0,76	2	1764
D12	Liros PPSLS	60	0,76	2	1732
D13	Liros PPSLS	60	0,76	2	1759
D14	Liros PPSLS	60	0,76	2	1841
F1	Liros PPSLS	60	0,76	2	819
F2	Liros PPSLS	60	0,76	2	836
F3	Liros PPSLS	60	0,76	2	839
F4	Liros PPSLS	60	0,76	2	852
F5	Liros PPSLS	60	0,76	2	893
F6	Liros PPSLS	60	0,76	2	991
F7	Liros PPSLS	60	0,76	2	1057
F8	Liros PPSLS	60	0,76	2	1113
F9	Liros PPSLS	60	0,76	2	1334
F10	Liros PPSLS	60	0,76	2	1565
FM	Liros PPSLS	60	0,76	10	1860
FM1	Liros PPSLS	125	1,05	4	1860
FR	Liros PPSLS	260	1,58	2	2830



Cyclus one XL

Name	Line reference		Diameter / mm	Number of lines	Length / mm
A1	Liros PPSLS	60	0,76	2	619
A2	Liros PPSLS	60	0,76	2	681
A3	Liros PPSLS	125	1,05	2	646
A4	Liros PPSLS	125	1,05	2	698
A5	Liros PPSLS	125	1,05	2	645
A6	Liros PPSLS	125	1,05	2	716
A7	Liros PPSLS	125	1,05	2	1593
A8	Liros PPSLS	125	1,05	2	1564
A9	Liros PPSLS	125	1,05	2	1586
A10	Liros PPSLS	125	1,05	2	1663
A11	Liros PPSLS	125	1,05	2	1693
A12	Liros PPSLS	125	1,05	2	1652
A13	Liros PPSLS	125	1,05	2	1676
A14	Liros PPSLS	125	1,05	2	1765
AM 1	Liros PPSLS	125	1,05	2	1345
AM 2	Liros PPSLS	125	1,05	2	1525
AM 3	Liros PPSLS	125	1,05	2	1525
AM 4	Liros PPSLS	125	1,05	2	1525
AM 5	Liros PPSLS	125	1,05	2	1525
AM 6	Liros PPSLS	125	1,05	2	1525
AR 1	Liros PPSLS	180	1,2	2	5070
AR 2	Liros PPSLS	180	1,2	2	4300
AR 3	Liros PPSLS	260	1,58	2	4300
B1	Liros PPSLS	60	0,76	2	606
B2	Liros PPSLS	60	0,76	2	662
B3	Liros PPSLS	125	1,05	2	647
B4	Liros PPSLS	125	1,05	2	698
B5	Liros PPSLS	125	1,05	2	632
B6	Liros PPSLS	125	1,05	2	695
B7	Liros PPSLS	125	1,05	2	1548
B8	Liros PPSLS	125	1,05	2	1512
B9	Liros PPSLS	125	1,05	2	1528
B10	Liros PPSLS	125	1,05	2	1601
B11	Liros PPSLS	125	1,05	2	1629
B12	Liros PPSLS	125	1,05	2	1585
B13	Liros PPSLS	125	1,05	2	1610
B14	Liros PPSLS	125	1,05	2	1701
SM	Liros PPSLS	60	0,76	6	1235
BM 1	Liros PPSLS	125	1,05	2	1345
BM 2	Liros PPSLS	125	1,05	2	1525
BM 3	Liros PPSLS	125	1,05	2	1525
BM 4	Liros PPSLS	125	1,05	2	1525
BM 5	Liros PPSLS	125	1,05	2	1525
BM 6	Liros PPSLS	125	1,05	2	1525
SR	Liros PPSLS	125	1,05	2	4935
BR 1	Liros PPSLS	180	1,2	2	5070
BR 2	Liros PPSLS	180	1,2	2	4300

Cyclus one XL

Name	Line reference		Diameter / mm	Number of lines	Length / mm
BR 3	Liros PPSLS	260	1,58	2	4300
C1	Liros PPSLS	60	0,76	2	621
C2	Liros PPSLS	60	0,76	2	689
C3	Liros PPSLS	125	1,05	2	677
C4	Liros PPSLS	125	1,05	2	736
C5	Liros PPSLS	125	1,05	2	679
C6	Liros PPSLS	125	1,05	2	749
C7	Liros PPSLS	125	1,05	2	1611
C8	Liros PPSLS	125	1,05	2	1584
C9	Liros PPSLS	125	1,05	2	1607
C10	Liros PPSLS	125	1,05	2	1684
C11	Liros PPSLS	125	1,05	2	1716
C12	Liros PPSLS	125	1,05	2	1676
C13	Liros PPSLS	125	1,05	2	1701
C14	Liros PPSLS	125	1,05	2	1791
CM 1	Liros PPSLS	125	1,05	2	1345
CM 2	Liros PPSLS	125	1,05	2	1525
CM 3	Liros PPSLS	125	1,05	2	1525
CM 4	Liros PPSLS	125	1,05	2	1525
CM 5	Liros PPSLS	125	1,05	2	1525
CM 6	Liros PPSLS	125	1,05	2	1525
CR 1	Liros PPSLS	180	1,2	2	5070
CR 2	Liros PPSLS	180	1,2	2	4300
CR 3	Liros PPSLS	180	1,2	2	4300
D1	Liros PPSLS	60	0,76	2	693
D7	Liros PPSLS	60	0,76	2	1696
D8	Liros PPSLS	60	0,76	2	1682
D9	Liros PPSLS	60	0,76	2	1715
D10	Liros PPSLS	60	0,76	2	1796
D11	Liros PPSLS	60	0,76	2	1835
D12	Liros PPSLS	60	0,76	2	1802
D13	Liros PPSLS	60	0,76	2	1829
D14	Liros PPSLS	60	0,76	2	1914
F1	Liros PPSLS	60	0,76	2	857
F2	Liros PPSLS	60	0,76	2	877
F3	Liros PPSLS	60	0,76	2	883
F4	Liros PPSLS	60	0,76	2	896
F5	Liros PPSLS	60	0,76	2	940
F6	Liros PPSLS	60	0,76	2	1041
F7	Liros PPSLS	60	0,76	2	1109
F8	Liros PPSLS	60	0,76	2	1165
F9	Liros PPSLS	60	0,76	2	1393
F10	Liros PPSLS	60	0,76	2	1630
FM	Liros PPSLS	60	0,76	10	1935
FM1	Liros PPSLS	125	1,05	4	1935
FR	Liros PPSLS	260	1,58	2	2935





Sol Sports Ind. e Com. Ltda.
Rua Walter Marquardt, 1180 cp 370
89259-565 Jaraguá do Sul, SC BRAZIL
Telefone (+55) 47 3275 7753
E-mail: info@solsports.com.br
www.solparagliders.com.br
facebook: [solparagliders](https://www.facebook.com/solparagliders)
instagram [@solparagliders](https://www.instagram.com/solparagliders)